



NORTEL

CallPilot™

Release 4.0 - Standard 1.05

Desktop Messaging User Guide for Novell GroupWise



CallPilot Desktop Messaging User Guide for Novell Groupwise

Product releases: 4.0
Document release: Standard 1.05
Date: August 2005

Copyright © Nortel Networks Limited 2005. All rights reserved.

Information is subject to change without notice. Nortel Networks reserves the right to make changes in design or components as progress in engineering and manufacturing may warrant.

The process of transmitting data and call messaging between CallPilot and its servers, switches or system is proprietary to Nortel Networks. Any other use of the data and the transmission process is a violation of the user license unless specifically authorized in writing by Nortel Networks prior to such use. Violations of the license by alternative usage of any portion of this process or the related hardware constitutes grounds for an immediate termination of the license and Nortel Networks reserves the right to seek all allowable remedies for such breach.

Nortel Networks and third-party trademarks appear on the following pages:

*Nortel Networks, the Nortel Networks logo, the Globemark, and Unified Networks, BNR, CallPilot, DMS, DMS-100, DMS-250, DMS-MTX, DMS-SCP, DPN, Dualmode, Helmsman, IVR, MAP, Meridian, Meridian 1, Meridian Link, Meridian Mail, Norstar, SL-1, SL-100, Succession, Supernode, Symposium, Tesis, and Unity are trademarks of Nortel Networks.

3COM is a trademark of 3Com Corporation.

ACCENT is a trademark of Accent Software International Ltd.

ADOBE is a trademark of Adobe Systems Incorporated.

AMDEK is a trademark of Amdek Corporation.

AT&T is a trademark of American Telephone and Telegraph Corporation.

ATLAS is a trademark of Quantum Corporation.

ATRIA is a trademark of Pure Atria Corporation.

BLACKBERRY is a trademark of Research in Motion Limited.

CASEWARE is a trademark of Caseware International, Inc.

CONTINUUS is a trademark of Continuum Software Corporation.

CRYSTAL REPORTS is a trademark of Seagate Software Inc.

DEFINITY is a trademark of Avaya Inc.

DIALOGIC, INTEL and VOICEBRIDGE are trademarks of Intel Corporation.

DIVX is a trademark of DivXNetworks, Inc.

EUDORA and QUALCOMM are trademarks of Qualcomm, Inc.

eTrust and InoculateIT are trademarks of Computer Associates Think Inc.

DIRECTX, EXCHANGE.NET, FRONTPAGE, INTERNET EXPLORER, LINKEXCHANGE, MICROSOFT, MICROSOFT EXCHANGE SERVER, MS-DOS, NETMEETING, OUTLOOK, POWERPOINT, VISUAL STUDIO, WINDOWS, WINDOWS MEDIA, and WINDOWS NT are trademarks of Microsoft Corporation.

GROUPWISE and NOVELL are trademarks of Novell Inc.

HITACHI is a trademark of Hitachi Limited.

LOGITECH is a trademark of Logitech, Inc.

LUCENT is a trademark of Lucent Technologies, Inc.

MATRA is a trademark of Matra Hachette.

McAFFEE and NETSHIELD are trademarks of McAfee Associates, Inc.

MYLEX is a trademark of Mylex Corporation.

NET2PHONE is a trademark of Net2Phone, Inc.

NETOPIA is a trademark of Netopia, Inc.

NETSCAPE COMMUNICATOR is a trademark of Netscape Communications Corporation.

NOTES is a trademark of Lotus Development Corporation.

NORTON ANTIVIRUS and PCANYWHERE are trademarks of Symantec Corporation.

POWERQUEST is a trademark of PowerQuest Corporation.

PROMARK and RHOBOT are trademarks of DMI Promark, Inc.

QUICKTIME is a trademark of Apple Computer, Inc.

RADISYS is a trademark of Radisys Corporation.

ROLM is a trademark of Siemens ROLM Communications Inc.

SLR4, SLR5, and TANDBERG are trademarks of Tandberg Data ASA.

SONY is a trademark of Sony Corporation.

SYBASE is a trademark of Sybase, Inc.

TEAC is a trademark of TEAC Corporation.

UNIX is a trademark of X/Open Company Limited.

US ROBOTICS, the US ROBOTICS logo, and SPORTSTER are trademarks of US Robotics.

WINAMP is a trademark of Nullsoft, Inc.

WINRUNNER is a trademark of Mercury Interactive Corporation.

WINZIP is a trademark of Nico Mark Computing, Inc.

Contents

How to get Help	7
Welcome to CallPilot	9
Getting started	10
Logging in	11
Working with your CallPilot messages	12
Playing voice messages	13
Viewing fax messages	14
Composing voice messages	15
Composing fax and text messages	17
Creating and sending fax batch messages	19
Using custom fax Cover Pages	26
Initiating a call using Call Directory	31
Contacting the sender of a message	33
Adding attachments to messages	34
Setting message options	34
Forwarding and replying to messages	35
Message Forwarding Rule	35
Addressing messages	36
Personal distribution lists	40
Instant Messaging	41
Changing your mailbox settings	45
Changing mail delivery settings	46
Changing your Address Book settings	48
Changing audio settings	50
Linking to My CallPilot	51
Working offline	53
Document information	54

How to get Help

This section explains how to get help for Nortel products and services.

Getting Help from the Nortel Web site

The best way to get technical support for Nortel products is from the Nortel Technical Support Web site:

<http://www.nortel.com/support>

This site provides quick access to software, documentation, bulletins, and tools to address issues with Nortel products. More specifically, the site enables you to:

- download software, documentation, and product bulletins
- search the Technical Support Web site and the Nortel Knowledge Base for answers to technical issues
- sign up for automatic notification of new software and documentation for Nortel equipment
- open and manage technical support cases

Getting Help over the phone from a Nortel Solutions Center

If you don't find the information you require on the Nortel Technical Support Web site, and have a Nortel support contract, you can also get help over the phone from a Nortel Solutions Center.

In North America, call 1-800-4NORTEL (1-800-466-7835).

Outside North America, go to the following Web site to obtain the phone number for your region:

<http://www.nortel.com/callus>

Getting Help from a specialist by using an Express Routing Code

To access some Nortel Technical Solutions Centers, you can use an Express Routing Code (ERC) to quickly route your call to a specialist in your Nortel product or service. To locate the ERC for your product or service, go to:

<http://www.nortel.com/erc>

Getting Help through a Nortel distributor or reseller

If you purchased a service contract for your Nortel product from a distributor or authorized reseller, contact the technical support staff for that distributor or reseller.

CallPilot* from Nortel is an advanced business communications system that offers exceptional flexibility for managing your messaging needs.

You can work with CallPilot from your telephone or your computer. Desktop Messaging gives you access to your CallPilot mailbox through your Novell GroupWise e-mail. Here are some of the many ways you can use CallPilot with your e-mail:

- Listen to voice messages.
- View and print fax messages.
- Record and send voice messages.
- Create and send fax messages, including batch faxes.
- Forward and reply to voice and fax messages.
- Call the sender of a message.
- Contact the sender of a message.
- Add message options such as urgent and private.
- Initiate a call using Call Directory.
- Add voice, fax, or text file attachments to messages.
- Create personal distribution lists.
- Change your CallPilot password.
- Access web-based My CallPilot to view user information and change your feature settings.

Some features mentioned in this guide may not be available for your CallPilot mailbox. For details, refer to the *Feature availability* topic in the Desktop Messaging online Help, or ask your administrator.

Getting started

About this guide

This user guide is an overview of how to use CallPilot with your Novell GroupWise e-mail.

The instructions and screen images shown in this guide provide general information for using CallPilot with your e-mail. Specific details may vary depending on your computer's operating system and the features available for your CallPilot mailbox.

For further assistance in using CallPilot, refer to the Desktop Messaging online Help.

What you need

Before you start to use CallPilot, your administrator ensures that your e-mail account is correctly configured for CallPilot. Your computer must be set up according to the following requirements:


- CallPilot Player to play and record voice messages
- Nortel Fax Driver to create faxes
- Novell GroupWise 6.5.
- Windows 2000 Professional, or Windows XP Professional
- Monitor with 256-color 800 x 600 capability
- 15 Mbytes of free disk space to install software
- Sound card and speakers for playing voice messages on your computer
- Microphone connected to your computer, or a telephone situated near your computer, for recording voice messages
- LAN (Ethernet), ISDN, ADSL, or dial-up modem connection to the CallPilot server for accessing CallPilot messages
- Internet Explorer 6.0; Netscape 6.2, 7.0, 7.1, 7.2; or Mozilla 1.7.x and Mozilla FireFox 1.0 on RedHat Linux 9 Operating System to access My CallPilot

Logging in

When you log in to your e-mail, you can log in to CallPilot at the same time.

To log in from Novell GroupWise

- 1 Open your Novell GroupWise e-mail. The **CallPilot Logon** dialog box appears.
- 2 In **Mailbox**, type or select your mailbox number.
- 3 In **Password**, type your CallPilot password.
- 4 Check **Remember password** if you want CallPilot to log in automatically.
- 5 Click **OK**.



Note: Do not leave the **Remember password** box checked on a shared computer.

Note: CallPilot Desktop Messaging does not support multiple GroupWise logins to the same mailbox from more than one computer.

To log out

When you exit Novell GroupWise, you automatically log out from CallPilot.


Remote login

You can log in to your mailbox from any computer with CallPilot installed and configured in the same way as your office computer. For example, you can use a computer set up for guest access, or your home computer with a dial-up connection to the server.

Working with your CallPilot messages

When you open your e-mail with CallPilot installed, your CallPilot messages appear in the CallPilot Desktop Messaging folder.

Your CallPilot Inbox



Note: If necessary, adjust your screen resolution so that the CallPilot New Message icon is visible on the GroupWise toolbar.

To check for new messages



The CallPilot message waiting indicator on your screen turns red when you have a new message. To turn the indicator on or off, see *Changing mail delivery settings*, page 46. New messages appear in red.

Note: Due to a limitation in Novell GroupWise, the Message Waiting Indicator on your screen and on your telset remains active after you read the new message from the desktop. The MWI does not go inactive until you either:

- 1 Download all messages using **Tools -> CallPilot Desktop Messaging**, or
- 2 Logout of the mailbox, exit GroupWise, and then log in to the mailbox via desktop again.

To open a message

To open a CallPilot message, double-click the message line. See *Playing voice messages*, page 13, and *Viewing fax messages*, page 14.

To delete a message

To delete a CallPilot message in your Inbox,;

- 1 Click the message to select it.
- 2 Select the **Edit** menu, click **Delete**.
- 3 In an open message, click the **Delete** icon, message is deleted immediately.

NOTE: You cannot delete a message using **right-click > Delete** and **Empty**.

Playing voice messages



When you open a voice-only message, the CallPilot Player appears. In mixed voice, fax, or text messages, click the Voice icon to open the CallPilot Player.

To select your telephone or computer to play voice messages


You can choose to play your voice messages from your telephone or your computer. To change from one to the other, or to change the telephone number that CallPilot dials, see *Changing audio settings*, page 50. You can also click the Telephone or Computer icon on the CallPilot Player to change the setting.

To play a message from your telephone

- 1 To play a voice message, when your telephone is selected for playback, double-click the message in your CallPilot Inbox, and answer your telephone when the telephone rings.
- 2 Use the buttons on the CallPilot Player to play or stop the message, go backward and forward, and call the sender.
- 3 When you are finished, hang up, and close the message.

To play a message from your computer

- 1 To play a voice message when your computer is selected for playback, double-click the message in your CallPilot Inbox. The message plays through your computer speakers or your headphones.
- 2 Use the buttons on the CallPilot Player to play or stop the message, go backward and forward, adjust the volume and speed, and call the sender.
- 3 When you are finished, close the message.




Viewing fax messages



Note: In order to receive faxes, your CallPilot administrator must enable fax capability for your mailbox.

To view a fax message


- 1 Double-click a fax message in your CallPilot Inbox. When you open a fax-only message, the fax image appears. In mixed voice and fax or text messages, click the **Fax** icon to view the fax.
- 2 While viewing the fax, you can enlarge or reduce the image, rotate or move it, print it, delete it, save it, forward it, and reply to it.
- 3 When you are finished, close the message.




Composing voice messages

You can record a voice message from the computer or the telephone, then address and send the message the same way as an e-mail message.

To record and send a voice message

- 1 In your CallPilot Inbox, click the **New CallPilot Message** icon .
- 2 On the new message form, click the **Telephone** icon in the toolbar to open the CallPilot Player, if CallPilot Player is not already open.
- 3 On the CallPilot Player, click the red **Record** button to start recording.
- 4
 - ▶ If you are recording from the computer, record your message into the microphone. Click **Stop** to end the recording. Click **Play** to review it. To add to the recording, click **Record**, speak again, then click **Stop**.
 - ▶ If you are recording from the telephone, answer when the telephone rings. At the tone, record your message. Click **Stop** to end the recording. Click **Play** to review it.Hang up the telephone.
- 5 Click **To...** to address from the CallPilot or Novell Address Book. See *Addressing messages*, page 36. Or type a formatted address in the **To...** text box.
- 6 Add attachments and options if required. See *Adding attachments to messages*, page 34, and *Setting message options*, page 34.
- 7 On the toolbar, click the **Send Message** icon.

Note: Insure that rich text format (rtf) format is selected in your e-mail client, if plain text is selected the message delivery may fail.



To save a newly created voice message as a file


- 1 On a new message form, record a message; on the **File** menu, click **Save as...**
- 2 In the **File** name box, type a name for the file, select a folder to keep the file in, then click **Save**. Save voice files as .vbk files. Note: CallPilot automatically converts .vbk files to .wav files when sending to non-CallPilot users. See *Changing mail delivery settings*, page 46.

Composing fax and text messages

To create and send a single fax message

To create a fax, your CallPilot mailbox must have fax capability. The CallPilot recipients of your fax must also have fax capability to view the fax on their computer. If your recipients access their messages from their telephone, they can view the fax only by printing it. You can also send your fax to a fax machine.

- 1 Open the document that you want to fax. The document must be no greater than 8.5 in. (21.5 cm) in width.
- 2 On the File menu, select **Print**.
- 3 From the list of printers, select **Nortel Fax**, then click **Print** or **OK**.
- 4 The Compose Fax dialog box appears. Before sending the fax, you can add more documents by repeating steps 1 to 3. You can also choose to include a cover page, view the fax, and save the fax as a file for later transmission.
- 5 Select an appropriate **Send using...** option.
 - ▶ To send a simple fax, type the fax machine numbers or CallPilot mailbox number (append the letter “m” to the CallPilot mailbox number, for example, m7366), in the **Fax machine(s)** field, type a subject in the **Subject** text box, then click **Send**.
 - ▶ To send your fax as an attachment to a new CallPilot message, select **CallPilot Desktop Messaging for Novell Groupwise** under **Send using**, then click **Send**



A new message form opens with your fax file attached. Address the message from the CallPilot or Novell Address Book. See *Addressing messages*, page 36. Or type the formatted address in the **To...** text box.

- 6 Add attachments and options if required. See *Adding attachments to messages*, page 34, and *Setting message options*, page 34.
- 7 Click **Send Message**.

To create and send a text message

To create a text message:

- 1 Open a new CallPilot message form.
- 2 Click the **Text** icon in the toolbar.
- 3 Type or paste plain text into the message.
- 4 Address the message.
- 5 Click the **Send Message** icon.

Creating and sending fax batch messages

To send customized CallPilot fax messages to multiple recipients you can use Microsoft Word Mail Merge, and send your print job to the Nortel Fax Batch printer. You must be familiar with Microsoft Word Mail Merge functionality to use this feature. Consult your Microsoft Word documentation. Note that the CallPilot Fax Batch feature is only available to CallPilot Desktop and Web users who install the Nortel Fax Batch Print Driver.


To use Mail Merge with CallPilot, you will need your main document (the file you want to send to your recipients) and a data source document that contains recipient information such as names and fax numbers.

Your CallPilot Desktop Messaging installation includes a sample Microsoft Word data source named Data.doc and a sample Microsoft Word main document named Sample.doc. Each of these are examined below to explain the batch fax procedure.

Accessing and modifying the example Data source document

The Data.doc file consists of a Microsoft Word table, organized in columns, with one row for each recipient. The following column headers exist in the sample: ToFax, ToName, DelReceipt, DelType, ToCompany, and ToPhone. These column headers can be modified and deleted and new columns can be added. The column header names serve as tags, which can be inserted into the main document, to customize the fax for each recipient, or to direct CallPilot how to handle the fax.

- 1 Go to \Program Files\Nortel\CallPilot\fax directory and open the Data.doc file.



- 2 Add new columns or subtract existing ones, as required. For new columns, chose a meaningful column header name.
- 3 Add the required data under each column header. The data source can be created by any means available to populate a Microsoft Word table, including importing information from existing files.

If you edit the recipient list using the Mail Merge utility (that is click Edit in the Data source section of the Microsoft Mail Merge Helper), the Data Form window opens and lists all the entries from the data source table. You can add, delete, modify and search for records in this window. Any column headers that you added or modified in the data source file will automatically appear in this window. Note that the **ToFax** text box is the only mandatory field for CallPilot.

The following parameters and characters are supported in the **ToFax** text box:

- Maximum supported length for the fax phone number is 120 characters.
- Numbers 0 through 9 are supported.
- Uppercase and lowercase P and the comma is used when a pause is necessary.
- The Pound sign (#) is used by some fax servers, and is supported.
- Common phone number symbols such as left and right parentheses and the dash, is supported.
- Spaces are supported.
- When placed before a CallPilot mailbox number, to designate the mailbox address, the M is not case-sensitive.

The other fields are optional and are used to customize the fax or to direct CallPilot how to handle it. Three specific CallPilot fields and their parameters are:

- **ToName:** This is the fax recipient's name and can be up to 256 characters in length.
- **DelReceipt:** You can use this tag to receive a Delivery Receipt in the form of a CallPilot message in your CallPilot mailbox, when the fax is delivered to the recipient. If the DelReceipt text box is set to 1, then a delivery receipt is generated. If DelReceipt is set to 0, a delivery receipt is not generated for that recipient. If the DelReceipt text box is empty, or the field is not in Data.doc, then no delivery receipt is generated.
- **DelType:** This text box is used to set a delivery priority for each recipient. If the DelType text box is set to 0 or is left empty (or if DelType Text Box is not present in your Data.doc), the message is tagged for Normal delivery. If DelType is set to 1, then the message is tagged for Economy delivery. If DelType is set to 2, then the message is tagged for Urgent delivery. Messages sent to non-CallPilot recipients with the Delivery Type set to Economy is delivered on a schedule defined by the CallPilot server for Economy delivery. Note that messages sent to CallPilot mailboxes is not affected by the Economy designation and is sent as Normal messages. Transmission of messages tagged as Normal or Urgent is gin immediately. Urgent messages will display the Urgent icon when displayed from My

CallPilot or a Desktop Messaging client and a voice prompt will identify the message as Urgent from the CallPilot telephone interface. Messages sent Urgent are treated as Normal when they are sent to non-CallPilot addresses.

- 4 Once the table has been updated, save all changes. You normally supply a unique name for your data file here, however; for the remainder of these procedures, the name Data.doc is used.
- 5 Close the document. The Data.doc file can now be used as a data source by Microsoft Mail Merge.

Accessing and modifying the example Main document


The Sample.doc file is an example of a Microsoft Word main document.

- 1 From the \Program Files\Nortel\CallPilot\nda directory, open Sample.doc in MS Word.

This document contains tagged fields corresponding to those in the example Data.doc file. You can use this as a template for your own fax or for practice purposes. If you modify the column header names in Data.doc, you must modify them in your main document as well.

First page

The first page of the main document is a special page and does not become part of the final fax. Sample.doc is installed with the first page set up correctly.



The purpose of this page is to provide a location to map information in the data source to each customized fax document. To signal CallPilot that this is a Fax Batch file, and to prevent this page from becoming part of the fax, two special control codes **must** be present on the first page:

- \$SOJ\$ Start of Job, signals the fax driver to start processing, and can be placed anywhere on the first page.
- /zz Start this page, prevents the first page from becoming part of the fax message, and can be placed anywhere on the first page.

The CallPilot desktop software retrieves the Fax Number from the first page of the document. Additionally, CallPilot desktop software retrieves the Recipient Name, the Delivery Receipt and the Delivery Type, if they exist on the first page.

- /tp Fax Number, is used to address the message. **This text box is required.**
- /dr Delivery Receipt, is turned on or off for each recipient. **This text box is optional.**
- /tn Name of Recipient, is used to identify the record in the Nortel Fax Batch Status dialog if the fax number is either missing or invalid. **This text box is optional.**
- /dt Delivery Type, is used to mark messages for Normal, Economy or Urgent delivery. **This text box is optional.**

To complete the page, the Fax Number column header (that is <<ToFax>>) must be inserted after the /tp control using the Mail Merge insert function. Likewise, the Delivery Receipt column header (that is <<DelReceipt>>) can be inserted after the /dr control, the Name of Recipient field (that is <<ToName>>) can be inserted after the /tn control, and the Delivery Type field (that is <<DelType>>) can be inserted after the /dt control.

Note: all Fax Batch controls are case sensitive.

As an advanced fax addressing feature, users can also modify all data in a single column, without actually modifying the data source file. For example, if an existing data source table contains fax numbers for a large number of recipients, but the external access number "9" is missing, this number can be added to all fax numbers by modifying the control on the first page of the document as follows:

/tp9<<ToFax>>


In this example, a "9" is added to the beginning of each phone number during fax batch processing. The data source remains unchanged, and can be used from a different location that does not require a "9" for external access.

Second page

Once the data source document and the first page of the main document are created, you can customize your fax.

Note: The page must be equal to, or less than 8.5 inches in width.

You can use all of the data source column header tags to customize the document. The following is an example using the Sample.doc file:



In this example, the document is customized for each recipient. Data source column headers are inserted into the document using the MS Word Mail Merge utility Insert function. After the main document is customized, the document is ready to be merged with the information in the Data.doc file. Consult your MS Word Mail Merge help for more details on inserting data source fields into the document.

Merging data from the Data Source into the Main Document

When you are ready to merge data from the data source file into your main document:


- 1 Start **Mail Merge** from the Microsoft Word **Tools** menu. Depending on which version of Microsoft Word you are using, Mail Merge is under different menu headings.
 - a. In the Office XP version, select **Tools> Letters and Mailings> Mail Merge Wizard**.
 - b. In Office 2000 select **Tools> Mail Merge**.
- 2 Verify that Sample.doc is currently selected as the main document, and that Data.doc is currently selected as the data source.

- 3 Select **Merge to Printer** and then select the **Nortel Fax Batch** driver from the **Print** dialog box that appears.
Note: Ensure that Microsoft Word is not set up to print pages in reverse order.
- 4 Click **OK** in the Print dialog box to initiate the batch fax process.

When the document is merged, data values from the data source file are merged into the main document at the appropriate tag positions and a separate fax TIF file for each recipient is created. CallPilot Desktop software addresses and transfer the fax files to the server. The CallPilot server is responsible for sending the fax to the recipients.

Once the process starts, the **Print Status** dialog appears. The page number increases incrementally as each page is converted to a TIF file. Since the first page is skipped, this page is not included in the count. For example, if a three-page fax is sent to ten recipients, the dialog box will display "Printing page 1," "Printing page 2," and so on up to "Printing page 20." Only 20 pages are printed, because the first page of each document is skipped.

Problems that occur while creating the fax images, or with the fax addresses, are displayed in a separate Nortel Fax Batch Status dialog box, such as:




Problems, such as a missing fax address or an unsupported fax address format, are checked. However, problems such as a wrong fax number is not identified, provided the number is in a valid format. A wrong fax number, however, results in the sending of a non-Delivery receipt to the user's CallPilot mailbox by the CallPilot server.

When you click the **OK** button, the batch process ends, and no faxes are sent. You must fix the fax addresses, and resubmit the job.

If all faxes and addresses are created properly, a dialog box appears while the faxes are being addressed and transferred to the CallPilot Server. The Nortel Fax Batch Status dialog box indicates the status of the batch job. If you press **Cancel** in this dialog box before the job is completed, another dialog box appears, asking you to confirm the cancellation. If you select Yes, all temporary files are deleted, and the process ends. However, all faxes that are transferred already to the CallPilot server are sent.

If a problem occurs while transferring the fax, a dialog box similar to the following:



If you select Yes, an attempt is made to resend the fax to the server. If you select No, the current fax is skipped, and processing begins on the next fax in the list. The skipped fax is not sent. If you select Cancel, another dialog box appears, asking you to confirm the cancellation. If you choose Yes, all temporary files are deleted, and the process ends. Any faxes already transferred to the CallPilot server are sent. If you choose No, the failure dialog box shown above is displayed again, allowing you to make a different choice.

After all the faxes are transferred successfully to the server, a dialog box confirms this.

Using custom fax Cover Pages

CallPilot users can choose to include a cover page with their faxes. The server administrator typically designs and manages these cover pages. The user simply chooses the desired style of cover page (if more than one is available).

Cover pages created with these tools include the following information:

From Information:	Title	Name	Department	Company
	Phone number	Fax number		
To Information:	Title	Name	Department	Company
	Phone number	Fax number		


Number of Pages

Sent Date & Time

A Cover Sheet Memo section

CallPilot Configuration


The CallPilot Desktop Messaging Configuration page includes an option labeled "Include cover page when forwarding fax message". The default value for this is unchecked, meaning that a cover page is not added to the message.




If you select this option, you can then choose and set a default cover page from a list of available cover pages. Use the **Browse...** button to choose the location where the cover pages are stored. The default location is: \\Program Files\\Nortel\\ CallPilot\\cvrpages.

CallPilot Desktop Messaging Custom form

The Custom Fax Forward form of CallPilot Desktop Messaging contains a menu item named **Cover page**, which contains two submenus items: **Add** and **Modify**.




The **Add** menu displays a list of existing cover pages available to use. Select one of these, and click **OK**.




The **Modify** menu displays the current cover page content and allows you to modify the current cover page content. From the "Modify" window, you can also preview the current cover page.

If you enable the **Include cover page...** option, CallPilot Desktop Messaging adds the selected cover page to the Fax Forward form. The cover page appears as the first attachment on the list of attachments (left pane). The Attachment view (right pane) contains only the Cover Sheet Memo section of the cover page. You can include any additional required information here.



Nortel Fax Printer Driver form

You can use the Nortel Fax Printer form to send a fax message, using either a CallPilot Desktop Messaging client (such as Microsoft Outlook) or the QuickFax feature. QuickFax allows you to send a fax directly from the **Print** dialog box. If you choose to send your fax using a CallPilot Desktop Messaging client, the cover page is available from the CallPilot Custom form.



If you choose to send your fax to a specific destination (for example, a fax machine), the Cover page text box becomes active, and allows you browse, through the use of the **Browse** button. You can select a cover page from the drop-down list. You can then modify the cover page contents. The modification of the cover page provides functionality similar to the Custom form. (Refer to Modify and Preview cover page for details.) You can also choose not to include a cover page by selecting the **No cover page** option from the **Use fax cover page** drop-down list.

Note that you can also include a Subject line in the **Subject** text box. The Subject line information appears in the e-mail portion of the fax, but not on the hard copy of the fax.

Modify and Preview cover page

You can preview the current cover page and modify its contents from both the CallPilot Custom form and the Nortel Fax Printer driver application.

Modify Cover Page

To

Title: Mr Name: Jones

Company: Company Name Department: 445588

Fax: Phone: 9558889421

From

Title: Mr Name: Name

Company: Company Name Department: Z345

Fax: 505555555 Phone: 5055555556

Pages: 2 (including cover) Sent: 5/19/2005 9:19 AM

Memo

This is the Memo section of the cover page.

Preview OK Cancel Help

Click on **Preview** to view the current state of the cover page.

The image shows a 'Cover Page Preview' window. Inside, there's a 'Page 1' tab and a 'Facsimile Cover Sheet' form. The form has two columns of text boxes for 'To' and 'From' information, including fields for Name, Company, Department, and Phone. Below these is a 'Pages' field and a 'Memo' section. A 'Close' button is at the bottom.

Facsimile Cover Sheet			
To:	Mr. Name	From:	Mr. Name
Company:	Company	Company:	Company
Department:	Department	Department:	Department
Phone:	Phone	Phone:	Phone
Pages including this cover page: 2		Date: 6/3/2001 1:01:01 AM	
Memo: This is a test			

The first time you access this page, CallPilot Desktop Messaging attempts to fill in the From section using information from the registry. Desktop Messaging remembers the data that you entered into this section, and automatically completes those text boxes the next time you use this page. Although the From information is automatically populated from the registry, you can still change it.

In the To section, one text box is always read-only, the Fax text box. CallPilot populates the Fax text box, using address information from the Custom or Fax Driver forms. The Name text box is read-only if the cover page is filled using the Custom form. In this case, CallPilot automatically fills the Name text box using the recipient's name. If you use the Fax Printer driver, this text box is left empty, and you can complete it.

If a cover page is used from the Fax Printer driver, CallPilot Desktop Messaging computes the number of pages, and enters this information in the Pages text box. When you use the Custom form, the Pages text box is left empty. You can modify this text box in either case.


The Sent text box uses the current time and date by default. This text box is also editable. The Memo section is synchronized with the Memo section of the Custom form.

Note: The maximum length of all cover page text boxes, except the Memo text box, is 30 characters. The maximum length of the Memo text box is 2500 characters.

Initiating a call using Call Directory

The Call Directory feature allows you to call any person listed in the Novell GroupWise Address Book, Novell Personal Address Books and CallPilot Address Book.

To make a call, select the **Call Directory** menu item under **Tools-> CallPilot Desktop Messaging** or press the **Call Directory** toolbar button. The Call Directory menu item brings up the CallPilot GroupWise Address dialog box. This dialog shows all available Address Books and lets you select which person to call.



Depending on selected Address Book, CallPilot attempts to retrieve telephone numbers from the following fields:

- In the Novell GroupWise Address Book:
 - Office Phone Number
- In the Novell Personal Address Books, Frequent Contacts:
 - Office Phone Number
 - Home Phone Number
 - Mobile Phone Number
- In the CallPilot Address Book
 - Office Phone Number

Contact Verification

Once CallPilot has extracted all valid telephone numbers, you will be prompted to select and validate the telephone number before a person is called. Any changes made to the number are cached in the registry, if **Remember changes** is selected.

Contact - Smith, John [X]

Call

Select and verify the message recipient's destination. Include all necessary digits to dial a number, such as the area code and digits for an outside line.

Available destinations:

Office phone:	(952) 897-7400
Office cell:	(612) 897-7411
Home phone:	(763) 897-7422

Verify number:

(952) 897-7400

☒ Remember changes

Call Cancel

If CallPilot cannot find any valid telephone numbers, then depending on the client, only the person's e-mail address is listed. Since the e-mail address or name cannot be dialed, you must manually enter the person's complete telephone number. The number is cached in the registry, if **Remember changes** is selected.


Contacting the sender of a message

You can respond to a CallPilot or a GroupWise e-mail message with a telephone call instead of a recorded message.

- 1 Select a message in your CallPilot or GroupWise Inbox.
- 2 Choose the **Contact Sender** item from the **Tools> CallPilot Desktop Messaging** menu or click the Contact Sender toolbar icon.



CallPilot attempts to retrieve telephone numbers from the following fields:


- In the Novell GroupWise Address Book:
 - Office Phone Number
 - In the Novell Personal Address Books, Frequent Contacts:
 - Office Phone Number
 - Home Phone Number
 - Mobile Phone Number
 - In the CallPilot Address Book
 - Office Phone Number
- 3 The e-mail sender's Address Book entry can contain multiple numbers. Therefore all telephone numbers that can be found for the sender in the Office, Home or Mobile fields are presented to you in the **Contact Verification** dialog box. Choose the appropriate number and press the **Call** button. The CallPilot Desktop client remembers any changes, if you select the **Remember Changes** checkbox.
 - 4 Answer the telephone when the telephone rings. CallPilot immediately calls the sender of the message.
 - 5 When you finish the call, hang up the telephone, or click **Disconnect** .

Adding attachments to messages

Before sending a message, you can attach one or more voice, fax, or text files to it. Voice files can be .vbk or .wav format for CallPilot recipients; CallPilot can automatically convert .vbk files to .wav files when sending to non-CallPilot users. See *Changing mail delivery settings*, page 46. Fax files must be .tif format. Text files must be .txt format.

To attach a file to a message

- 1 On a new message form, click the **Attach File** icon.
- 2 In the **Open** box, select or type the name of the files that you want to attach.
- 3 Click **Open** to attach the files and return to the new CallPilot message.



Setting message options

Before sending a message, you can set options for handling and delivery.

To set message options

- 1 On a new message form, select **Delivery**, **Sensitivity**, and **Receipt** options, as required.



- ▶ For **Delivery**, select **Urgent**, or leave the setting as **Normal**.
- ▶ For **Sensitivity**, select **Private**, or leave the setting as **Public**.

Note that when you send a message marked **Private**, recipients may still forward the message to someone else, if they are not CallPilot users. Also, recipients in non-CallPilot systems are not informed of Private settings. In your message, tell the recipient that the message is Private.


- ▶ For Receipt acknowledgment, check **Read receipt** to request acknowledgment that your recipient opened the message. Check **Delivery receipt** to request acknowledgment that recipients received the message.
- 2 Continue to compose, address, and send the message as usual.

Forwarding and replying to messages


You can forward a message, and compose an introduction to send with it. You can also compose a reply to the sender of a message, or to the sender and all recipients of a message.

To forward or reply to a message

- 1 In an open message, click **Forward** or **Reply**.



- 2 If you click **Reply**, select **Reply to Sender** or **Reply to All**.
- 3 On the new message form, compose a voice, fax, or text message.
- 4 Address forwarded messages the same way as a new message. Replies are addressed automatically.
- 5 Add attachments, set options, and change the subject line if required.
- 6 Click the **Send Message** icon.



Note: Your administrator can block messages forwarded to external e-mail addresses.

Message Forwarding Rule

The Message Forwarding Rule can be configured by the system administrator or by the My CallPilot user. The Message Forwarding Rule feature enables you to automatically forward some or all of your CallPilot messages to an address configured by the system administrator. The user must enable the Message Forwarding Rule. If a message cannot be delivered the Message Forwarding Rule is disabled. Once the user receives notice of the undeliverable message, the Message Forwarding Rule, must again be enabled.

Novell GroupWise users receive the forwarded message in their GroupWise Inbox. The forwarded message appears as GroupWise e-mail, and honor all rules that apply to GroupWise e-mail messages.

For users of Novell NetMail, forwarded CallPilot messages appear as Novell GroupWise e-mail messages in NetMail. The forwarded message will honor all rules that apply to NetMail e-mail messages. Forwarded messages are displayed with NetMail e-mail icons and the standard NetMail e-mail form are used to display the message.

Messages forwarded from the CallPilot server are delivered to the e-mail account configured in the Message Forwarding Rule. You can treat these messages as any

other e-mail. Messages can be forwarded, printed, saved, archived, deleted, have rules applied to, etc.

CallPilot Message Forwarding Rules support Novell GroupWise distribution lists if the distribution lists are configured to be accessible from outside of the GroupWise system. See your Novell distributor for information on making GroupWise distribution lists accessible to external users.

Note, however, that there are a few limitations when using the Reply/Reply All functionality. You cannot reply to messages from a sender whose address/CLID is not included in the message, because the address is unknown. Also, because the CallPilot server can accept only plain text messages and attachments of type VBK or TIF-F, you must ensure all outgoing messages addressed to a CallPilot address are composed using these types. If a message is sent to a CallPilot address with a different attachment type, or in a format other than plain text (for example, RTF), you receive a Non-Delivery Notification (NDN). Note also that voice messages sent in VBK format play only if CallPilot player is installed on the system. Voice messages sent in WAV format require a WAV player capable of playing standard WAV-PCM. Most standard WAV players support this format.

Note: In order to enable or disable Message Forwarding Rule from the desktop client interface you use your account information in the Address Book advanced section and not an anonymous log on.

Note: If the Exchange 6.5 server is used for outgoing SMTP messages, messages are not marked as Read when they are opened by the recipient because the Read Receipt does not get sent back to CallPilot. You should either use **Forwarded by this Service** option or turn off **Mark original message as Read** option when configuring Message Forwarding Rules.


Addressing messages

To address a message from an Address Book

You can address a CallPilot message from the CallPilot Address Book on the server, or you can select addresses from any available Address Book.

- The CallPilot Address Book on the server is maintained by your organization, and contains the addresses of the CallPilot users and distribution lists that you are allowed to use. You cannot edit this list. You can download the Address Book to your computer so that you can work in offline mode. See *Changing your Address Book settings*, page 48.

- Your Personal Address Book is the list of e-mail addresses that you maintain on your computer. You can add CallPilot addresses to this list.



- 1 In a new CallPilot message, click **To...**
- 2 In the **Address Book** window, select the **CallPilot Address Book** tab or any other available **Address Book**.
- 3 Select the name of the recipient or distribution list.
- 4 Click **To ->**. You can select more addresses, clicking **To ->** after each one.
- 5 Click **OK** to return to the new CallPilot message.

E-mail addresses versus Fax/Telephone numbers

The CallPilot Desktop client always attempt to find a CallPilot e-mail address or address information from Frequent Contacts and other Novell Personal Address books. If the e-mail address field is empty, CallPilot scans the recipient for phone and fax numbers. CallPilot supports the following phone/fax numbers fields:

The screenshot shows the 'CallPilot Desktop' contact form. The 'Phone' section is highlighted with a red box. It contains the following fields:

Phone Type	Number
<input type="radio"/> Office	99528977403
<input checked="" type="radio"/> Home	99525400715
<input type="radio"/> Mobile	96127237417
<input type="radio"/> Fax	92547237528
<input type="radio"/> Pager	

If phone/fax numbers are found, you will be prompted to pick the final destination.

The screenshot shows the 'CallPilot Recipient - Only Phone' dialog box. It prompts the user to select and verify the message recipient's destination. The 'Available destinations' list shows the following:

Destination	Number
Office Phone Number:	99528977403
Home Phone Number:	99525400715
Cellular Phone Number:	96127237417

The 'Verify number' field shows '99528977403'. The 'Remember changes' checkbox is checked.

You must modify the selected number in the Verify number field to ensure proper delivery. The phone and fax numbers must be entered as an alphanumeric string. Pause (P, p) and pound (#) characters are supported. Examples of valid fax and phone numbers are:

7401 or (952) 8p9#7-7401

If you type the recipient directly into the To/CC/BCC text box instead of selecting the address from the address dialog, CallPilot attempts to resolve the recipient against all available Address Books. If an e-mail address is found, the message is sent without further interaction. If a CallPilot or GroupWise e-mail address cannot be found, the Desktop client attempts to resolve recipient based on message data type.

Mixed media messages (voice/text or voice/fax) are sent only to e-mail addresses. If CallPilot cannot find an e-mail address, an error message is displayed. For voice-only messages, the Desktop client scans the Address Books for entries that only contain phone numbers (not e-mail addresses). For fax-only messages, the Desktop client will scan the Address Books for entries that only contain fax numbers (not e-mail addresses).

If phone/fax numbers are found, you are prompted to choose the final destination. An error message will be presented if CallPilot fails to resolve recipient.

To add CallPilot addresses to your Novell Personal Address Book

You can add CallPilot addresses and distribution lists to your Personal Address Book. You may want to distinguish between CallPilot and e-mail addresses by adding CallPilot after the recipient's name.

- 1 In your Inbox, on the **Tools** menu, click **Address Book**.
- 2 Select **CallPilot Address Book**, and right-click on a name.
- 3 Click **Copy Names between Address Books**, then select an Address Book.

Or, you can create an address manually and add the address to your Personal Address Book. To do this, set the **E-mail** type to **Callpilot**.

To address a message manually

You can type an address directly into the **To** text box of a new message.

Required format for a CallPilot E-mail address

If you choose to enter a CallPilot address in the E-mail text box, the address must be entered in the following format:

XXXXYYYY@ZZZZ

Where:

XXXX = SMTP/VPIM prefix

YYYY = CallPilot Mailbox number

ZZZZ = CallPilot Server FQDN (server and domain)

For example, suppose CallPilot server "na42349" in the domain "us.nortel.com" with VPIM/SMTP prefix "1952897" contains mailbox "7404". Then the CallPilot address for that mailbox would be:

[19528977404@na42349.us.nortel.com}

Personal distribution lists

There are two types of Personal Distribution Lists (PDL) you can use:

- CallPilot PDL, which can be created using My CallPilot or the telephone.
- Local distribution lists which can be created from GroupWise in personal Address Books. Note that this type is not accessible from telephone interface.

To use existing CallPilot personal distribution lists

You can address messages using CallPilot personal distribution lists that you created in My CallPilot or on your telephone. In GroupWise, select these lists from the CallPilot Address Book or add them to your Personal Address Book.

To create a personal distribution list in GroupWise

You create a CallPilot personal distribution list in GroupWise the same way that you create an e-mail personal distribution list. You cannot access a list created in GroupWise from your telephone or from My CallPilot.

- 1 In your Inbox, on the **Tools** menu, click **Address Book**.
- 2 Select **CallPilot Address Book** or your **Personal Address Book**.
- 3 Select names, clicking **To...** after each one.
- 4 When you have finished entering names, click **Save Group**.
- 5 In **Save as Group**, type a name for the list, then click **OK**.

To edit a personal distribution list

You can add or delete names in a personal distribution list.

- 1 In your Inbox, on the **Tools** menu, click **Address Book**.
- 2 Click **Information**, then **Edit Group**.
- 3 Make the required changes, then click **OK**.

Instant Messaging

The Instant Messaging feature allows you to start an Instant Messaging (IM) session through **Microsoft Windows> MSN Messenger> Nortel Multimedia PC Client (MCS 5100)** from a CallPilot or e-mail message.


You can initiate an Instant Messaging connection with other users, provided both parties have a valid account on MCS 5100 (Nortel Multimedia PC Client), or with one of the following services available in **Windows> MSN Messenger**:

- NET Passport Service (Windows> MSN Messenger)
- SIP Communication Service (Windows Messenger)
- Exchange Instant Messaging Service (Windows Messenger)

There are no special requirements to configure these services. You must configure these accounts according to Windows/MSN Messenger requirements. For the SIP Communication Service on MCS 5100 configuration, you must have a configured and fully-operational Nortel Multimedia PC Client to be able to use its Instant Messaging functionality.

To activate Instant Messaging functionality in CallPilot Desktop Messaging

To activate Instant Messaging in CallPilot Desktop Messaging, you must select which IM applications to use. Use the **General** tab of the **CallPilot Desktop Messaging Properties** dialog box.




- By default, both applications are not selected. You cannot select an application

that is not installed on your PC.

Using Instant Messaging from the CallPilot Form

You can initiate an instant messaging session through the CallPilot Form. When the CallPilot Form is open, choose the **Contact Sender** menu item from the **Actions** menu, or click one of the **CallPilot Form** toolbar buttons.



When Contact Sender is chosen, CallPilot retrieves the message sender's CallPilot address. You are prompted to validate the address in the **Contact Verification** dialog box.

Note: Icons on the toolbar Instant Messaging buttons are different colors, depending on the online status of the sender. These are as follows:



Online



Offline



Status or sender Sign In name Unknown to Windows/MSN Messenger



Online



Offline



Status or sender Sign In name Unknown to Nortel Multimedia PC Client (MCS5100)

Tool tips for Instant Messaging buttons will also show sender's Sign In name and online status, if this information is available.

Using Instant Messaging from Novell Groupwise

You can initiate an Instant Messaging session by selecting a message and choosing the **Contact Sender** menu item from the **Tools-> CallPilot Desktop Messaging** menu.

When Contact Sender is chosen, CallPilot will retrieve the message sender's CallPilot or e-mail address. You are prompted to validate the address in the CallPilot IM Verification dialog box.

CallPilot IM Verification dialog box

With the CallPilot **Contact Verification** dialog box, you can initiate an Instant Messaging session by using **Windows Messenger> MSN Messenger** application, or by using the **Nortel Multimedia PC Client (MCS 5100)**. At this point, you can contact the sender by making a phone call (such as by pressing the **Call** button).

The **Contact Verification** dialog box displays your Contacts list from either Windows/MSN Messenger application or the Friends list from Multimedia PC Client.


Both **Windows> MSN Messenger** application and the **Nortel Multimedia PC Client** require the sender's Sign In name to be present in the **Contacts> Friends** list before initiating an Instant Messaging session.

The sender's CallPilot or e-mail address that is extracted from the message is treated as the sender's Instant Messaging Sign In name. The **Contact Verification** dialog box attempts to find the sender's Sign In name in the appropriate list. If the search is successful, the Verify sign in name text box is prefilled. Otherwise the text box is left empty and you must manually enter the sender's Sign In name.

You are always prompted by the **Contact Verification** dialog box to validate the sign in name before starting an Instant Messaging session. Any changes made to the number are cached in the registry, if Remember changes is selected.

After verifying the sign in name, click the **Send** button. If the Sign In name is already in the contact list, the **Windows> MSN Messenger**, or the **Nortel Multimedia PC Client**

Conversation window, is displayed.



This window provides the interface for sending and receiving instant messages.


If the sign in name does not exist in your **Contact> Friend** list, CallPilot Desktop Messaging attempts to add it. If the name is successfully added, you will receive a confirmation. You can then click the **Send** button to display the **Windows> MSN Messenger** or **Nortel Multimedia PC Client Conversation** dialog box. If the name is not added successfully, the Send is aborted.

Changing your mailbox settings

To view or change your CallPilot access settings

Your administrator enters the default CallPilot access information for you. You can change these settings if required. Refer to the online Help for a detailed explanation.

- 1 In your e-mail Inbox, on the **Tools** menu, click **CallPilot Desktop Messaging> CallPilot Desktop Messaging Options**.
(Or, on the CallPilot Player, select **View> Options**.)
- 2 Click the **General** tab to display your current access settings.
- 3 Make any changes required, then click **OK**.



To change your CallPilot password

This is the same password that you use from the telephone.

- 1 Repeat steps 1 and 2 above, then click **Change Password**.
- 2 In the **Old password** text box, type your current password.
- 3 In the **New password** text box, type your new password.
- 4 In the **Retype new** text box, type your new password again.
- 5 Click **OK** to save the change.
- 6 Click **OK** to exit the General settings.




Changing mail delivery settings

To view or change your mail settings

Your administrator enters the default mail settings for you. You can change them if required. Refer to the online Help for a detailed explanation.

- 1 In your e-mail Inbox, on the **Tools** menu, click **CallPilot Desktop Messaging > CallPilot Desktop Messaging Options**.
- 2 Click the **Mail** tab to display the current mail settings.



- 3 The default settings shown here are recommended for most users.
 - Notification - You can set CallPilot to update your message list automatically, manually, or at intervals such as every five minutes. (Choose Manually to save costs on long distance or ISDN connections.)
 - Default compose form - Lets you choose what type of e-mail form to use in composing your new message.
 - Default forward/reply form - Lets you choose what type of e-mail form to use in forwarding or replying to a message.
 - Include message header when forwarding/replying - The header information of the original message appears in a reply or forwarded message.
 - Include cover page when forwarding a fax - Refer to the CallPilot Configuration on page 26 for information regarding adding and/or modifying cover pages.
 - Convert voice messages to WAV for non-CallPilot recipients - Your recorded messages are automatically converted from .vbk to .wav files when you send them to non-CallPilot users.

- Show message waiting indicator (MWI) on taskbar - The CallPilot telephone icon on the Windows taskbar turns red when you have a new message.
- Warn before deleting - prompts you for confirmation when you delete a message.
- Read next after deleting - opens up your next message after you delete the current one.
- Create sent item - create a copy of any messages that you send and place them in your Sent folder.
- Enable Message Forwarding Rule - enables the forwarding of messages as defined by the CallPilot Administrator. If the Message Forwarding Rule feature has not been activated for the user, the check box does not appear.

Note: The system administrator sets up the Message Forwarding Rule, but for security purposes the user is required to enable the rule, (by clicking on the check box), for their use. Refer to the My CallPilot User Guide for details.


- 4 Make any changes required, then click **OK**.

Changing your Address Book settings

To view or change your Address Book settings

Your administrator enters the default Address Book settings for you. You can change the Address Book settings if required. Refer to the online Help for a detailed explanation.

- 1 In your e-mail Inbox, on the **Tools** menu, click **CallPilot Desktop Messaging > CallPilot Desktop Messaging Options**.
- 2 Click the **Address Book** tab to display the current Address Book settings.
- 3 Make any changes required, then click **OK**.



To download the Address Book to your computer

You can download the CallPilot Address Book from the server to your computer so that you can work offline.

- 1 Select the **Address Book** tab as previously described.
- 2 Click **Download now**. The Server Address Book downloads to your computer.
- 3 Select **Use local copy of server address book**. From now on, when you click **To...** in a CallPilot message, whether working online or offline, you are brought to the Address Book that you downloaded to your computer.
- 4 Check **Remind me...** to remember to update this list by downloading the list from the server occasionally. Set the number of days between reminders.
- 5 Click **OK**.

Whenever you want to address directly from the server again, reselect **Use server Address Book**.


Note: In CallPilot 4.0 this setting controls how the GroupWise Desktop client displays the Novell GroupWise Address Book. If the **Local** setting is selected, the CallPilot address dialog loads the GroupWise Address Book the same way as CallPilot 2.5. If **Server** is selected the Address Book is available only in search mode. The **Server** setting speeds up the CallPilot address module if the Novell GroupWise Address Book contains thousands of users. You will be able to search by **Display Name, First Name, Last Name, and E-mail address** fields.

Changing audio settings

To change the audio device and volume

You can play and record your messages from your telephone or your computer.

- 1 In your e-mail Inbox, on the **Tools** menu, click **CallPilot Desktop Messaging > CallPilot Desktop Messaging Options**.
(Or, on the CallPilot Player, select **View > Options**.)
- 2 Click the **Audio** tab to display the current Audio settings.



- 3 In **Device**, click **Telephone** if you want to play and record your voice messages from your telephone. Make sure the correct telephone number appears.
Or, click **Computer** if you want to play and record your voice messages through your computer's speakers and microphone.
Note: You can also change your audio device on the CallPilot Player.
- 4 In **Volume**, check the two **Volume** check boxes if you want to coordinate your CallPilot volume settings with your computer's speaker and microphone volumes.
- 5 If you want a reminder to check these settings before playing or recording voice messages, check **Confirm settings...**
- 6 If you want to download voice messages to your computer before playing them, check **Download file...** This option is useful if you are using a modem.

Linking to My CallPilot


Desktop Messaging provides links to the web-based resources in My CallPilot. To view or change the URL for My CallPilot, see *Changing your mailbox settings*, page 45. For more information on My CallPilot, refer to the *My CallPilot User Guide 555-7101-426*.

- 1 In your e-mail Inbox, on the **Tools** menu, click **CallPilot Desktop Messaging Tools > My CallPilot**.
- 2 Select one of the tabs.

Note: you can also access My CallPilot from the View menu of the downloadable CallPilot Player.

To view or change your CallPilot feature settings

- 1 In My CallPilot, click the **CallPilot Features** tab.



- 2 Select any feature, and make changes to your setup, as required. Any changes you make to a feature take effect immediately, whether you use CallPilot from your computer or from your telephone.

To view user information

In My CallPilot, click the **Useful Information** tab to view online user information

specific to your mailbox.



My CallPilot

[Help](#) | [About](#) | [Logout](#)

[CallPilot Messages](#)

[CallPilot Features](#)

[Useful Information](#)

Mailbox: Anh Tong (3396010)

Your Mailbox Status

1. Your mailbox can store approximately **10** minutes of audio.

2. Voice messages are deleted **1** days after listening to them.

3. Read faxes are deleted after **1** days.

4. When your mailbox is full, your call answering is **not blocked**.

5. Messages that you send are **not saved** in your mailbox.

6. The maximum length of an outgoing message is **10** minutes.

7. An incoming message can be no longer than **6** minutes.

8. Your password was last changed **Monday, May 02, 2005**.

CallPilot Access Numbers

1. Voice Messaging:

(Not Available)

2. Express Voice Messaging:

(Not Available)

3. Speech Activated Messaging:

(Not Available)

4. Name Dialing:

(Not Available)

5. Default Fax Number:

(Not Available)

6. Fax Messaging:

(Not Available)

7. Express Fax Messaging:

(Not Available)

8. Dial Prefix:

(Not Available)

9. Area Code:

(Not Available)

10. Exchange:

(Not Available)

11. ESN Access Code:

(Not Available)

12. ESN Exchange:

(Not Available)

Need More Help?

No CallPilot support information has been defined.

CallPilot User Documentation

Working offline

To work offline, you require a computer that has CallPilot installed and configured in the same way as your office computer. You can download your messages and addresses to this computer before working offline.

- 1 (Optional) You can download your CallPilot messages to the computer that you will use offline. Log in to your e-mail and CallPilot. On the **Tools** menu, click **CallPilot Desktop Messaging**, then click **Download all CallPilot Messages**. When your messages are downloaded, log out.
- 2 (Optional) You can download the server Address Book to your computer. See *Changing your Address Book settings*, page 48.
- 3 Open your e-mail, while not connected to the network, and wait for the CallPilot Logon window to appear. You do not need to enter your password.
- 4 Click **Cancel**.

You can then work offline, reviewing your messages, and recording and addressing new messages. You must use your computer speakers and microphone to play and record messages offline; you cannot use a telephone for offline access.

Note: CallPilot Desktop messaging does not support Novell GroupWise remote/caching mode and CallPilot online mode. Use CallPilot in offline mode when using Novell GroupWise in remote/caching modes.

CallPilot Desktop Messaging User Guide for Novell GroupWise

Copyright © Nortel Networks Limited 2005. All rights reserved.

Information is subject to change without notice. Nortel Networks reserves the right to make changes in design or components as progress in engineering and manufacturing may warrant.

This user guide is distributed in soft copy only.

Product release:	4.0
Document issue:	Standard 1.05
Date:	August 2005



>THIS IS **THE WAY**

>THIS IS **NORTEL™**